STATE OF MISSOURI

RECEIVED

APPLICATION	ON TO DRILL	_ DEEPEN	☐ PLU	G BACK	FOR AN OIL V	VELL	OR GA	AS WELL	
AME OF COMPANY (Mo Oil & G	as Co	uncil		
	e Exploration	and Development, L	LC			10/02/20)12		
DDRESS	- Ct Cuito E	10		Overland Parl	KS	ZIP CODE 66210			
93 West 110th ESCRIPTION	A STATE OF THE STA			Overland Fan		IKO	00210		
AME OF LEASE	OI WELL A	ID ELFIOL		WELL NUMBER	ELEVATION (GROUND)				
alton			(O) (E 500TA)	KR-37	1077'				
ELL LOCATION	4785	ft. from North S	The second second second	SE FROM SECTION I	ft. from 🗸 Eas	t Mest se	ection line		
ELL LOCATION	4700	it. from [] North [] S	south section line	LATITUDE	LONGITUDE	COUNTY	otion into		
	nship 46 No	th Range 33 E	East 🗸 West	N38 50' 41.030'	W94 34' 20.940"	Cass C	37	(=72)	
AREST DISTANC	CE FROM PROP	OSED LOCATION TO PRO	OPERTY OR LEAS	E LINE 165 🗸	FEET		p109900	d well #21	
Maria Maria Cara Cara Cara Cara Cara Cara Cara		ATION TO NEAREST DRI		ED OR APPLIED -			115	FEET 63	
ROPOSED DEPTH		ING CONTRACTOR, NAME A	ND ADDRESS		ROTARY OR CAE	APPROX. DATE WORK WILL START 10/20/2012			
0' 37'		Oil, LLC		O MEN O CAMPI					
.58		BER OF WELLS ON LEAS BER OF ABANDONED WI			E I E D IN OK DKILLING	IO IHIS KES	ERVOIR 40		
7/10/2000		OR MORE WELLS DRILLE				NO. OF WEL			
ME DE Explo		ON WORL WELLO BINEL	LD, I KOM I I I I					10N 9	
		, Wellsville, KS 6609	2					TIVE 0	
					ABANDONED 0 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □				
		☐ SINGLE WELL		☑ BL	ANKET BOND		0.0900.000		
STATUS C MARKS: (IF THIS IS CCTION ZONE; US	S AN APPLICATION	SINGLE WELL AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED)		AM	ANKET BOND OUNT \$ 160,000 IE, GIVING PRESENT PRO	DUCING/INJEC	ON FIL	LE CHED	
EMARKS: (IF THIS IS	S AN APPLICATION E BACK OF FORM	AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED)		AM E WORK TO BE DON	OUNT \$ 160,000 IE, GIVING PRESENT PRO		ON FII	LE CHED D EXPECTED NEW	
EMARKS: (IF THIS IS JECTION ZONE; US	S AN APPLICATION E BACK OF FORM	AMOUNT \$_ TO DEEPEN OR PLUG BACK IF NEEDED) CASING PROGRAM		AM E WORK TO BE DON	OUNT \$ 160,000 E. GIVING PRESENT PRO OVED CASING - TO B	E FILLED IN E	ON FII	LE CHED D EXPECTED NEW	
MARKS: (IF THIS IS	S AN APPLICATION E BACK OF FORM	AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED)	K, BRIEFLY DESCRIBI	AME WORK TO BE DON	OUNT \$ 160,000 IE, GIVING PRESENT PRO OVED CASING - TO B SIZE	E FILLED IN E	ON FILE ATTACTION ZONE AND BY STATE GE	LE CHED D EXPECTED NEW	
MARKS: (IF THIS IS ECTION ZONE; US AMOUNT	S AN APPLICATION E BACK OF FORM PROPOSED SIZE	AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED) CASING PROGRAM WT/FT	CEMENT	APPR AMOUNT	OUNT \$ 160,000 IE, GIVING PRESENT PRO OVED CASING - TO B SIZE	E FILLED IN E	ON FILE ATTACT TION ZONE AND BY STATE GE	LE CHED D EXPECTED NEW	
MARKS: (IF THIS IS ECTION ZONE; US AMOUNT 20'	PROPOSED SIZE 8 5/8"	AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED) CASING PROGRAM WT/FT 20	CEMENT 6 sks	APPR AMOUNT	OUNT \$ 160,000 IE, GIVING PRESENT PRO OVED CASING - TO B SIZE	E FILLED IN E	ON FILE ATTACT TION ZONE AND BY STATE GE	LE CHED D EXPECTED NEW	
AMOUNT 20' 700'	PROPOSED SIZE 8 5/8" 4 1/2" ned, state that that this repo	AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED) CASING PROGRAM WT/FT 20 11.6 I am the C.O.O rt was prepared under	CEMENT 6 sks 125 sks of the K.R.E.I	APPR AMOUNT TO COmpany	OUNT \$ 160,000 OVED CASING - TO B SIZE SIZE (1), and that I am au	ZC Uthorized by	ON FILE ATTACTION ZONE AND BY STATE GE	EOLOGIST CEMENT Canny to make	
AMOUNT 20' 700' the Undersigners report, and complete to	PROPOSED SIZE 8 5/8" 4 1/2" ned, state that that this repo	AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED) CASING PROGRAM WT/FT 20 11.6 I am the C.O.O rt was prepared under	CEMENT 6 sks 125 sks of the K.R.E.I	APPR AMOUNT TO COmpany	OUNT \$ 160,000 OVED CASING - TO B SIZE SIZE (1), and that I am au	E FILLED IN E	ON FILE ATTACTION ZONE AND BY STATE GE	EOLOGIST CEMENT Canny to make	
AMOUNT 20' 700' the Undersigners report, and and complete to signature ERMIT NUMBER 211000	PROPOSED SIZE 8 5/8" 4 1/2" ned, state that that this repo	AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED) CASING PROGRAM WT/FT 20 11.6 I am the C.O.O rt was prepared under	CEMENT 6 sks 125 sks of the K.R.E.I	APPR AMOUNT ZO Company on and direction	OUNT \$ 160,000 OVED CASING - TO B SIZE SIZE OV), and that I am author and that the fact	uthorized by s stated the	SY STATE GE	EOLOGIST CEMENT Canny to make	
AMOUNT 20' 700' the Undersigner report, and and complete to signature	PROPOSED SIZE 8 5/8" 4 1/2" hed, state that this report the best of r	AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED) CASING PROGRAM WT/FT 20 11.6 I am the C.O.O rt was prepared under	CEMENT 6 sks 125 sks of the K.R.E.I	APPR AMOUNT AMOU	OUNT \$ 160,000 IE, GIVING PRESENT PRO OVED CASING - TO B SIZE 1), and that I am au In and that the fact FRUN DRII	uthorized by s stated the	SY STATE GE	EOLOGIST CEMENT CEMENT Dany to make ue, correct,	
AMOUNT 20' 700' the Undersignis report, and and complete to IGNATURE ERMIT NUMBER PPROVED DATE	PROPOSED SIZE 8 5/8" 4 1/2" med, state that that this report the best of residue of residue of the best of residue of residue of the best of residue of residue of residue of residue	AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED) CASING PROGRAM WT/FT 20 11.6 If am the C.O.O rt was prepared under my knowledge.	CEMENT 6 sks 125 sks of the K.R.E.I er my supervision DRILLER'S LO CORE ANALY SAMPLES RE SAMPLES NO WATER SAMP	APPR AMOUNT To O (Company on and direction OG REQUIRED SIS REQUIRED IF QUIRED T REQUIRED PLES REQUIRED	OUNT \$ 160,000 OVED CASING - TO B SIZE Y Y AT OVED CASING - TO B SIZE OVED CASING - TO B	Uthorized by s stated the	SY STATE GE SAID COMPANIA SAID FRUN STINFO RE	EOLOGIST CEMENT CEMENT Dany to make ue, correct,	
AMOUNT 20' 700' the Undersignation report, and not complete to GNATURE ERMIT NUMBER PPROVED DATE PPROVED BY PPROVAL OF TH	PROPOSED SIZE 8 5/8" 4 1/2" hed, state that this report the best of record the best o	AMOUNT \$ TO DEEPEN OR PLUG BACK F NEEDED) CASING PROGRAM WT/FT 20 11.6 I am the C.O.O rt was prepared underly knowledge.	CEMENT 6 sks 125 sks 125 sks Of the K.R.E.I. er my supervision CORE ANALY SAMPLES RE SAMPLES NO WATER SAMP	APPR AMOUNT TO COMPANY ON AND AND AND AND AND AND AND AND AND AN	OUNT \$ 160,000 OVED CASING - TO B SIZE SIZE OVED CASING - TO B SI	DATE DOTHER LOC	SY STATE GE SAID COMPANIES OF THE SAID COMPANIES OF THE SAID IF RUN EST INFO RE CATION.	EOLOGIST CEMENT CAMENT Dany to make ue, correct, QUIRED IF RUN	

representative.

DATE REMIT ONE (1) COPY TO: GEOLOGICAL SURVEY PROGRAM, PO BOX 250, ROLLA, MO 65402 573-368-2143



STATE OF MISSOURI MISSOURI DEPARTMENT OF NATURAL RESOURCES GEOLOGICAL SURVEY PROGRAM

WELL LOCATION PLAT

OWNER'S NAME									
Kansas Resource	Exploration & Deve	lopment							
LEASE NAME	-					COUNTY			
Walton KR-37				Cass					
WELL LOCATION	_	(GIVE FOOTAGE							
WELL LOCATION		h South from section		2145 ft.	from 🔳 East 🗌	West from s	section line		
Sec. 4 Townsh	nip 46 North Rang	ne <u>33</u> ☐ East ■ W	/est						
N38° 50' HI- D				LONGITUDE W94° 34'	20.94"				
110	5		1			7			
N	/				¥R-37	165'		\longrightarrow	
1	•	*			1/6	21-	W		
_									
/									
					Walton	1			
	•								
			1						
			-		1				
				Sei	tion 4				
1									
							_		
						,			
REMARKS					11	21/			
		1 1003			4	185			
1 square = 660 fee	et plugged	3/01/2013							
Well # 2	I-W will b	e plugged	bef	ore C	mplet	ion of	F12-37		
	INSTRUCTIO	A STATE OF THE STA		This is to ce	ertify that I have o	executed a s	urvey to accura	ately	
On the above plat	, show distance of th	ne proposed well from th			ults are correctly				
two nearest section	on lines, the nearest	lease line, and from the							
		eted in or drilling to the							
		ey lines with lease lines. requirements. Lease lin	es						
must be marked.	2.000 for 3di vey	oquilonionia. Loude III							
	DEMIT TWO (0) CO.	DIES TO:		REGISTERED LA	ND SURVEYOR		NUMBER		
G	REMIT TWO (2) COI EOLOGICAL SURVEY			- STENED LA	- Contractor				
PO BOX 25	0, ROLLA, MO 65402	-0250 (573) 368-2143							
ON	NE (1) COPY WILL BE	RETURNED							



Check Location

Select a coordinate format, enter a pair of coordinates in the boxes below it, and then press the SUBMIT button. Please be patient while your information is retrieved. Your coordinates will be converted to the other formats, the information on the right-hand side of the page will be filled in based on your coordinates, and a map will be generated. NOTE: All coordinates must use the North American Datum of 1983 (NAD83).

Universal Transvers [Zone 15 North]	e Mercator
Easting	
363535.12115108274 Northing	meters
4300721.102682173	meters
Decimal Degrees	1
Latitude	
38.8447305555556	o
Longitude	
-94.57248333333333	0
-94.57246555555552	
Degrees, Minutes an	
Degrees, Minutes anLatitude Degrees	
Degrees, Minutes anLatitude Degrees38	
Degrees, Minutes andLatitude Degrees38Latitude Minutes	
Degrees, Minutes andLatitude Degrees38Latitude Minutes50	
Degrees, Minutes andLatitude Degrees38Latitude Minutes	
Degrees, Minutes and Latitude Degrees 38 Latitude Minutes 50 Latitude Seconds 41.03	
Degrees, Minutes and Latitude Degrees 38 Latitude Minutes 50 Latitude Seconds	
Degrees, Minutes and Latitude Degrees 38 Latitude Minutes 50 Latitude Seconds 41.03 Longitude Degrees	
Degrees, Minutes and Latitude Degrees 38 Latitude Minutes 50 Latitude Seconds 41.03 Longitude Degrees -94	
Degrees, Minutes and Latitude Degrees 38 Latitude Minutes 50 Latitude Seconds 41.03 Longitude Degrees -94 Longitude Minutes	

UTM Zone 15N [Easting, Northing]	[363535.1, 4300721.1] meters
Decimal Degrees [Lat, Lon]	[38.84473°, -94.572484°]
Deg, Min, Sec [Lat, Lon]	[38° 50' 41.0", -94° 34' 20.9"]
County Name	Cass
County FIPS Code	037
Legal Description	Section 04 T46N R33W
Municipality	Belton
House District	123
Senate District	31
Congressional District	5
MoDNR Region	Kansas City Regional Office
USGS 1:24,000 Quadrangle	Belton [38094-G5]
8 Digit Watershed	10300101 [Lower Missouri-Crooked]
10 Digit Watershed	1030010101 [Blue River]
12 Digit Watershed	103001010104 [Camp Branch-Blue River]
Special Well Drilling Area	Area 2
Ecological Drainage Unit	Central Plains/Blackwater/Lamine
Level III Ecoregion	Central Irregular Plains
Query Time	9.141 s


Rows with resident text indicate that the input location is too close to a boundary to produce reliable results.

NOTE: A result of 'NO VALUE' is usually an indication that no data was found for the location. For example, not every point in Missouri will lie within a municipal boundary, so some will result in a 'NO VALUE'. If 'County Name' results in 'NO VALUE', your point probably lies outside the state.

Metadata

- Interstate Highways
- US Highways
- State Highways
- Railroad
- · Major and Minor Roads
- · County Boundary
- Lakes
- · Major Rivers
- Rivers and Streams
- · Missouri River
- Mississippi River
- Municipal





View Scale 1:24,000

DISCLAIMER: Although this map has been compiled by the Missouri Department of Natural Resources, no warranty, expressed or implied, is made by the department as to the data and related materials. The act of distribution shall not constitute any such warranty, and no responsibility is assumed by the department in the use of these data or related materials.



P.O. Box 176, Jefferson City, MO 65102 800-361-4827 / 573-751-3443 E-mail: contact@dnr.mo.gov



STATE OF MISSOURI MISSOURI DEPARTMENT OF NATURAL RESOURCES GEOLOGICAL SURVEY PROGRAM PLUGGING RECORD

RECEIVED FORM OGC-7

OWNER'S NAM	E						ADDRESS						
Kansas Resource Exploration & Development, LLC						9393 W 110th Street, Ste. 500 Mo Oil & Gas C							
NAME OF LEASE							WELL NUMBER PERMIT N			UMBER (OGC-3 OR OGC-31 NUMBER			
Walton										0457			
LOCATION OF WELL SEC TWN RNG OR BLOCK AND SURVEY							N38 50' 40.33"		IGITUDE COUNTY				
Sec. 4 Township 46 North Range 33								W94 34' 18.85" Cass at completion (initial production) DRY?					
Town Oil Company PRODUCED OIL OR GAS? Yes No						OIL (BBLS/DAY) 1		GAS (MCF/DAY) 0 ☐ Yes ☑ N					
5/1/4 5/						ODUCING	PRIOR TO ABANDONMENT		WATER (BBLS/DAY)				
03/01/2013 620'				OIL (BBLS/DAY) Injection			GAS (MCF/DAY) Injection		Injection				
Name of each formation containing oil or gas. Indicate which formation open to well bore at time of abandonment			Fluid content	nt of each formation Depth in			nterval of each formation		Size, kind, and depth of plugs used, giving amount of cement.				
Squii	Squirrel Sandstone C			and Water			534-594 Squ		Squeezed 71 sks of Portland from surface				
									to 603', topped off the well with 5 additional				
								s	ks of Portlan	d, shut in v	vith 2" valve		
							ONE DEPTH AND M	ETHOR					
SIZE PIPE	IZE PIPE PUT IN WELL (FT) PULLED (FT)		PULLED OF	UT LEFT IN WELL (FT)		A CONTRACTOR OF THE PARTY OF TH	GIVE DEPTH AND METHOD OF PARTING CASING (SHOT, RIPPED, ETC.)		PACKERS AND SHOES				
2 7/8"	6	03'	0		603	3'	N/A		None				
WAS WELL FILL		-LADEN FLUID?					FORMATION CONTAINING FRESH WA		TER				
Yes	\checkmark	No			None								
NAME AND	ADDRES	SSES OF A	DJACENT	LEAS	SE OPERA	ATORS	OR OWNERS OF	THE S	URFACE		TRUCK TRACK		
	NAI	ME				ADDF	RESS		DIRECT	TION FROM T	HIS WELL		
Maclaughlin, J.R. and A 1				1103 W47th, Apt B Ka			ansas City, MO 64112		West				
Beary, Helen 28 Bi				riar Oaks	Ln Reed	ds Springs, Mo 65737		East					
Michael Effertz Farms LLC				16401 HOLMES RD, I			BELTON, MO 64012		South				
Colt Energy, Rhoden Lease				4330 Shawnee Mssn F			ky Fairway ks 66205			North			
	F DISPOS IUD PIT TENTS	AL There	was no pit u	used	in this pro	cess, ce	ement was squeeze	ed direc	ctly down the	well			
		IN DUPLICATE	WITH: (USE REVE	RSE S	IDE FOR ADD	ITIONAL D	ETAIL)						
certification make this correct and	s report; ar	nd that this	ned, state th report was p of my knowl	at I a orepa	am the ared under	of t	the (Compa bervision and direct	ny), and	d that I am a	uthorized b	oy said company erein are true,		
SIGNATURE								DATE 03/03/2013					
	1	- for								00/00/201			